

Do More with A4

The TASKalfa 308ci is a powerful A4 colour MFP for small to medium sized workgroups in medium to large corporate environment where durable operations and flexible finishing are required. It offers all the functionalities you would expect from a sophisticated MFP - easily accessible touchscreen, various paper handling options including 2,000-sheet large capacity paper feeder and 300-sheet internal finisher with 50-sheet stapling in 3 positions.



TASKalfa 308ci 

A4 Colour Multifunctional

30 ppm in colour and B/W for A4

1200 x 1200 dpi resolution

TASKalfa 308ci

Specifications

GENERAL

KYOCERA TASKalfa Laser Colour Multifunctional.

HyPAS™ Solution Platform

Operation panel: 177.8 mm (7 inch) full-colour touch panel display, speaker for job notification, 0° - 90° swivel mounted

Engine speed (pages per minute): Up to 30 pages A4 per minute

Duplex print speed: up to 30 page per minute, A4

Duplex copy speed: 30 page per minute, A4

Resolution: 1200 x 1200 dpi, multibit technology

for print quality of up to 9,600 equivalent x 600

dpi (print), 600 x 600 dpi (scan/copy)

Warm-up time: Approx. 20 seconds or less from power on.

Time to first print: Approx. 7.0 / 8.0 seconds or less in b/w/colour

Time to first copy: Approx. 6.4 / 7.8 seconds

or less in b/w/colour (Platen-Cover)

CPU: ARMCortex-A9 Dual Core 1.2MHz+ARMCortex-M3 100 MHz

Memory: Max. 3GB + 32GB or 128GB SSD

Standard interfaces: Standard interface: 2 x USB Host Interface,

Gigabit Ethernet (10BaseT/100BaseTX/1000BaseT, IPv6, IPv4,

IPSec, 802.3az support), optional USB 2.0 (High-Speed), Wi-Fi

(IEEE 802.11b/g/n), 2 eSATA slots for optional internal print

server, SSD hard disc or fax system, slot for optional SD Card.

Integrated accounting: 100 department codes

Dimensions (W x D x H): 550 mm x 507.5 mm x 736.6 mm.

Weight: Main unit approx. 49.6 kg.

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption

Print - mode: 497 Wh

Copy - mode: 497 Wh

Low power mode: 38 Wh

Ready mode: 69 Wh

Sleep mode: 0.5 Wh

Noise (Sound pressure level ISO 7779/ISO 9296)

Operation Mode: 65.4 dB(A)

Stand-by: 45dB(A)

Safety standards: TÜV/GS, CE; This unit is

manufactured according to ISO 9001 quality standard

and ISO 14001 environmental standard.

PAPER HANDLING

All paper capacities quoted are based on paper thickness

of max. 0.11 mm. Please use paper recommended by

Kyocera under normal environmental conditions.

Input capacity: Standard universal paper cassette: 500 sheet

100-sheet multi-purpose tray,

60 - 220 g/m², A4, A5, A6, B5, B6, Letter, Legal,

Folio, Custom (70 x 148 - 216 x 356 mm). Max.

input capacity with options: 3,100 sheets A4

Duplex as standard unit: 60-220 g/m², A4, A5, B5, Letter, Legal

Reverse scan document processor as standard:

75 sheets, 50 - 120 g/m², A4, A5, A6, B5, Letter,

Legal, Custom (105 x 148 to 216 x 356 mm)

Output capacity: 500-sheet-face-down

with paper full sensor.

PRINT FUNCTIONS

Controller language: PRESCRIBE II c

Emulations: PCL6 (Sc/XL), KPDL3 (PostScript 3

compatible), PDF Direct Print, XPS Direct Print.

Operating systems: All current Windows operating

systems, MAC OS X Version 10.8 or higher, UNIX LINUX,

as well as other operating systems on request.

Fonts/barcodes: 93 outline fonts (PCL6), 136

fonts (KPDL 3), 8 fonts (Windows Vista), 1 (Bitmap

font), 45 types of one-dimensional barcodes, 1

type of two-dimensional barcode (PDF417).

Print features: Encrypted PDF Direct Print, IPP printing,

e-mail printing, WSD print, secure printing via SSL, IPsec,

SNMPv3, quick copy, proof and hold, private print,

job storage and job management functionality.

Mobile printing support: KYOCERA Mobile Print app for

iOS and Android, AirPrint, Mopria, Google cloud print.

COPY FUNCTIONS

Max. original size: A4/Legal

Continuous copying: 1-999

Zoom range: 25-400% in 1% steps

Preset magnification ratios: 7 Reductions / 5 Enlargements

Exposure mode: Auto, manual: 9 steps

Image adjustments: Text + Photo, Photo,

Text, Map, Printed document

Features: Scan-once-copy-many, electronic sort (collate), ID

card copy, 2in1, 4in1, auto cassette change, Skip blank page

SCAN FUNCTIONS

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB,

Scan to USB Host, Network TWAIN, WIA, WSD scan

Scan speed: 40 ipm (300 dpi, A4, b/w), 30 ipm

(300 dpi, A4 colour), 17 ipm (300 dpi, A4, b/w)

(Duplex), 13 ipm (300 dpi, A4 colour) (Duplex)

Scan resolution: 600, 400, 300, 200 dpi, 256 greyscales per colour

Max. scan size: A4, Legal

Original recognition: Text, photo, text + photo,

light text, Searchable PDF with OCR Option

File types: TIFF, PDF, PDF/A, JPEG, XPS, Open XPS,

PDF/A-2a/2B/2U, Encrypted PDF,

High compression PDF, PDF/A-1a/b

Compression method: MMR /JPEG

Features: Colour scan, encrypted address book, Active

Directory support, encrypted data transfer, multi send (e-mail,

fax, SMB/FTP folder, print) at once, Skip blank page

FAX FUNCTIONS (OPTIONAL)

Compatibility: Super G3

Modem speed: Max. 33.6 kbps

Transmission time: Max. 3 seconds (JBIG)

Scanning speed: 2.5 seconds/sheet

Address book: 200 entries

Scanning density: Normal: 8 dot/mm x 3.85 line/mm (200 x 100

dpi), Fine: 8 dot/mm x 7.7 line/mm (200 x 200 dpi), Superfine:

8 dot/mm x 15.4 line/mm (200 x 400 dpi), Ultrafine: 16 dot/

mm x 15.4 line/mm (400 x 400 dpi), Halftone: 256 grey scales

Maximum original size: A4/Legal

Compression method: JBIG, MMR, MR, MH

Features: Network fax, duplex transmission and

reception, encrypted transmission and reception,

polling transmission and reception, broadcast

CONSUMABLES

Average continuous toner yield in accordance with 5% coverage A4

TK-5199K Toner Kit: Micro fine toner black for 15,000 pages A4

TK-5199C, TK-5199M, TK-5199Y: Micro fine toner

cyan, magenta, yellow for 7,000 pages A4

Waste Toner Bottle: WT-5190 Waster Toner Bottle: 44,000

sheets (in accordance with 5% coverage; b/w/colour = 7:3)

Staple: SH-10 Staple cartridge: 3 x 5,000 staples for DF-5100

OPTIONS

Fax System 11: Super G3 Fax, network fax

Paper Handling:

PF-5120: Paper feeder : 500 sheets,

60-220 g/m², A4, A5, A6, B5, B6, Letter, Legal,

Folio, Custom (105 x 148 - 216 x 356 mm).

PF-5130*: Paper feeder : 2 x 500 sheets, 60-220 g/m², A4, A5,

A6, B5, B6, Letter, Legal, Folio, Custom (105 x 148 - 216 x 356 mm).

PF-5140*: Paper feeder : 2,000 sheets, 60-220 g/m², A4

DT-5100 Document Tray: To place originals or USB Keyboard

JS -5100 Job separator: 100-sheet internal job

separator, 60-220 g/m², A6 - A4/ Legal

MT-5100*: 5-bin Mailbox sorter (**AK-5100),

5 bins x 100 sheets A4, 60-163 g/m², Main

tray 500 sheets A4, 60-220 g/m².

DF-5100 Internal Document Finisher, 300 sheets,

60-220 g/m², Stapling up to 50 sheets A4 at 3 positions.

* Requires PF-5120

** Bridge unit AK-5100 is required for the use of MT-5100

Storage:

HD-6 SSD: 32 GB for easy document management

HD-7 SSD: 128 GB for easy document management

SECURITY

Data Security Kit (E) standard for HD-6/HD-7

Memory Upgrade: MD3-1024, DDR3, 1GB

UG-33: ThinPrint support

USB IC Card Reader + Card Authentication Kit (B):

Support for various authentication keys available.

IC Card Reader Holder 11: To integrate the USB IC Card

Optional interface:

IB-50: Gigabit Ethernet: 10BaseT/100BaseTX/1000BaseT.

IB-51: Wireless Lan (802.11b/g/n).

IB-35: Wireless Network Interface

Cabinet:

1278 - High Cabinet with stability feet

1279 - High Cabinet with stability feet

The TASKalfa 308ci incorporates extremely durable components that guarantee efficient and reliable operation, to meet the demanding requirements of busy office environments

HyPAS™



KYOCERA Document Solutions Partner

OCTOBER2019DSTASKALFA308CI/VER1.0

KYOCERA Document Solutions Australia
Ph: 13 59 62
www.kyoceradocumentsolutions.com.au

KYOCERA Document Solutions New Zealand*
Ph: 0800 459 623
www.kyoceradocumentsolutions.co.nz



kyoceradocumentsolutions.com.au

Kyocera Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.